Geclipse



THE ECLIPSE

MINI+





THE ECLIPSE MINI+

In-line, fast track Label Printing - Cutting - Finishing Accurate, Fast, Economical - The **Mini** digital die cutter and laminator is a production powerhouse in complete label converting and finishing.



Incorporating Eclipse label technology into your business, you are removing the bottlenecks in your production chains.

A MAJOR BOOST TO EFFICIENCY!



SPECIFICATIONS

- **CUT WIDTH:** 220mm (8.6")
- **MEDIA WIDTH:** 230mm (9")
- **CUT SPEED:** 800mm (1200") Axial
- LINEAR CUT SPEED: Dependent on graphic
- **CUT FORCE:** 0 400 grams in 1 gram steps
- **CUT TYPE:** Drag knife and tangential emulation
- CUT to REGISTRATION: Single point registration mark
- **CUT ABILITY:** Both printed and unprinted media
- MAX LABEL LENGTH: 254mm (10") repeat
- LAMINATION: Unsupported laminate roll
- MAXIMUM ROLL DIAMETER: 200mm (7.9")
- WASTE MATRIX: Removal and rewind
- **ROLL SLITTING:** 3 blade slitting and re-wind
- ROLL CORE SIZE: 76mm (3")
- INTERFACE & SOFTWARE: WinPlot (Windows OS) cut software, cutter control parameter software.
 Plug-ins for CorelDraw and Adobe Illustrator
- **POWER SUPPLY:** Single phase 110/240VAC, frequency 50/60HZ
- **DIMENSIONS:** Width: 860mm (33.8")
 Depth: 520mm (20.5") Height 575mm (22.6")
- **WEIGHT:** 145kg

FEATURES & BENEFITS



ACCURATE

- Precision engineerin
- Barcode reading with single point registration man
- High speed photographic quality labels
- Automatically changes from one design to anot



FLEXIBLE

- Adaptable to changeable market data and product information
- Running on various substrates including:
 Papers of all styles coated, and none-coated
 BOPP Polyester Vinyl's



SPACE SAVING

Small compact footprint



CAPACITY

■ Ultra-Narrow Web



PRODUCERS

- Production rates run efficiency, with an optima cutting speed of up to 8 meters per minute!
- Low volumes of bespoke product right throug to large sized labels in industrial quantity's
- Blank labels all shapes & size



INTEGRATION

- Process large media on a 'Roll-to-Roll' basis with a fully integrated print and cut solutio
- Mapped to incorporate the Epson C6500 and C7500 printers
- Benchmarked Label applicators



EASY-TO-USE

- The operator panel allows to-set and recal parameters, rotating speed, and position
- Developed with state-of-the-art softwand management systems
- Fluid simulation program guarantees the



MAINTENANCE

Low maintenance

Machine uses position indicators to recall the head and roll positions, making any format change faster and easier



APPLICABLE INDUSTRIES

The Eclipse product range work across a number of business sectors here in the UK and globally including:















Sovereign House | Sovereign Way Mansfield | Nottinghamshire | NG18 4LQ | Great Britain

T: +44 (0) 1623 861173

